


<u>z - table</u> $n \geq 30$		<u>t - table</u>	
$C = 99\%$	$z_c = \pm \underline{2.575}$	$C = 99\%$	$t_c =$
$C = 98\%$	$z_c = \pm \underline{2.33}$	$C = 98\%$	$t_c =$
$C = 96\%$	$z_c = \pm \underline{2.05}$	$C = 96\%$	$t_c =$
$C = 95\%$	$z_c = \pm \underline{1.96}$	$C = 95\%$	$t_c =$
$C = 94\%$	$z_c = \pm \underline{1.89}$		Must use table
$C = 90\%$	$z_c = \pm \underline{1.645}$		
$C = 85\%$	$z_c = \pm \underline{1.44}$		
$C = 80\%$	$z_c = \pm \underline{1.28}$		
		$n < 30$	
		sample size $< 30$	
		$n = 2, 3, 4, 5, 6, \dots, 29$	
		* d.f. (degree of freedom)	
		$(n-1)$	
		$n = 15$	t-table
		$C = 95\%$	d.f. = 14
		$t_c = \underline{2.145}$	$\uparrow$
			$n-1$
			$15-1 = 14$

$C = 90\%$ $n = 18$ $t_c = \frac{1.740}{\cancel{1.734}}$ $\sigma = 2.5$ $d.f. = 17$ $n - 1 = 18 - 1$ $d.f. = 17$ $E = t_c \cdot \frac{\sigma}{\sqrt{n}}$ $E = 1.740 \cdot \frac{2.5}{\sqrt{18}}$ $= 1.03$ $(\bar{x} - E, \bar{x} + E)$	$C = 95\%$ $n = 23$ $t_c = 2.074$ $\sigma = 1.8$ $d.f. = 22$ $E = t_c \cdot \frac{\sigma}{\sqrt{n}}$ $E = 2.074 \cdot \frac{1.8}{\sqrt{23}}$ $= 0.79$	$C = 80\%$ $n = 7$ $t_c = \frac{1.440}{\sigma}$ $\sigma = 3.41$ $d.f. = 6$ $E = t_c \cdot \frac{\sigma}{\sqrt{n}}$ $E = 1.440 \cdot \frac{3.41}{\sqrt{7}}$ $= 1.86$
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Tables T-11

Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .



**TABLE D**  
t distribution critical values

df	Upper-tail probability $p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
$z^*$	0.674	0.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291
	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.8%	99.9%
	Confidence level $C$											

TEST - Thursday

→  $z_c = ??$

$E = ??$

( Confidence Interval )

$t_c = ??$

$E = ??$

( , )

z-table	n = 30	t-table	
C = 99%	$z_c = \pm 2.575$	C = 99%	$t_c =$
C = 98%	$z_c = \pm 2.33$	C = 98%	$t_c =$
C = 96%	$z_c = \pm 2.05$	C = 96%	$t_c =$
C = 95%	$z_c = \pm 1.96$	C = 95%	$t_c =$
C = 94%	$z_c = \pm 1.88$	d.f. = degree of freedom	
C = 90%	$z_c = \pm 1.645$	2, 3, 4, 5, ..., 29	
C = 85%	$z_c = \pm 1.44$	C = 95%	
C = 80%	$z_c = \pm 1.28$	n = 23	d.f. = 23 - 1 = 22
85%	$\frac{100\%}{- 85\%}$		$= 2.074$
	$\frac{15\%}{2} = 7.5\%$		$= 22$
	$\frac{10}{100} = .1000$		
	$\frac{7.3}{100} = .0750$		

$$c = 80\%$$

$$n = 18$$

$$n < 30$$

t-table

$$d.f. = n - 1$$

$$= 18 - 1$$

$$= 17$$

$$t_c = 1.333$$

$$c = 90\%$$

$$n = 25$$

$$n < 30$$

t-table


$$d.f. = n - 1$$

$$= 25 - 1$$

$$= 24$$

$$t_c = 1.711$$

$$C = 99\% \quad Z_C = \pm 2.575 = \frac{-2.57 + -2.58}{2}$$



Practice

$$n = 18$$
$$C = 90\%$$

$$t_c = \underline{\hspace{2cm}}$$

$$\sigma = 2.5$$

$$E = \underline{\hspace{2cm}}$$

$$E = t_c \cdot \frac{\sigma}{\sqrt{n}}$$

↑  
critical value

$$n = 20$$

$$C = 80\%$$

$$t_c = \underline{\hspace{2cm}}$$

$$\sigma = 1.75$$

$$E = \underline{\hspace{2cm}}$$

$$E = t_c \cdot \frac{\sigma}{\sqrt{n}}$$

$$n = 7$$

$$C = 95\%$$

$$t_c = \underline{\hspace{2cm}}$$

$$\sigma = 2.83$$


$$E = \underline{\hspace{2cm}}$$

$$E = t_c \cdot \frac{\sigma}{\sqrt{n}}$$




Tables T-11

Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .



**TABLE D**  
t distribution critical values

df	Upper-tail probability $p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
$z^*$	0.674	0.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291
	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.8%	99.9%
	Confidence level $C$											



TEST - Thursday

→  $z_c = ??$

$E = ??$

( Confidence Interval )

$t_c = ??$

$E = ??$

( , )

<u>z - table</u>	<u>t - table</u>
$C = 99\%$ $z_c = \pm$ _____	$C = 99\%$ $t_c =$ _____
$C = 98\%$ $z_c = \pm$ _____	$C = 98\%$ $t_c =$ _____
$C = 96\%$ $z_c = \pm$ _____	$C = 96\%$ $t_c =$ _____
$C = 95\%$ $z_c = \pm$ _____	$C = 95\%$ $t_c =$ _____
$C = 94\%$ $z_c = \pm$ _____	
$C = 90\%$ $z_c = \pm$ _____	
$C = 85\%$ $z_c = \pm$ _____	
$C = 80\%$ $z_c = \pm$ _____	

Always Changes to Use the Table

d.f. (degree of freedom) =  $n - 1$

$C = 95\%$

$n = 23$

$t_c =$  \_\_\_\_\_

Tables T-11

Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .





TABLE D												
t distribution critical values												
df	Upper-tail probability $p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
$z^*$	0.674	0.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291
	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.8%	99.9%
	Confidence level $C$											



TEST - Thursday

→  $z_c = ??$

$E = ??$

( Confidence Interval )


$t_c = ??$

$E = ??$

( , )

z - table	$n = 30, 31, 32, \dots$	t - table
$C = 99\%$	$z_c = \pm 2.575$	$C = 99\%$ $t_c =$
$C = 98\%$	$z_c = \pm 2.33$	$C = 98\%$ $t_c =$
$C = 96\%$	$z_c = \pm 2.05$	$C = 96\%$ $t_c =$
$C = 95\%$	$z_c = \pm 1.96$	$C = 95\%$ $t_c =$
$C = 94\%$	$z_c = \pm 1.88$	Always Changes to Use the Table
$C = 90\%$	$z_c = \pm 1.645$	
$C = 85\%$	$z_c = \pm 1.44$	degree of freedom
$C = 80\%$	$z_c = \pm 1.28$	$n = 2, 3, 4, 5, 6, \dots, 29$
$n = 45$		$C = 95\%$
$C = 94\%$	$z_c = \underline{1.88}$	$n = 23$ $d.f. = n - 1$
$n = 75$	$z_c = \underline{1.88}$	$t_c = \underline{2.074} = 23 - 1 = 22$
$C = 94\%$		
$n = 33$	$z_c = \underline{1.88}$	
$C = 94\%$		






$$n = 18$$

$$C = 90\%$$

$$t_c = 1.740$$

$$\begin{aligned} \text{d.f.} &= n - 1 \\ &= 18 - 1 \\ &= 17 \end{aligned}$$




$$n = 27$$

$$C = 80\%$$

$$t_c = 1.315$$

$$\begin{aligned} \text{d.f.} &= 27 - 1 \\ &= 26 \end{aligned}$$

$C = 90\%$	$c = 80\%$	$c = 95\%$
$n = 20$ d.f. = 19	$n = 7$ d.f. = 6	$n = 13$ d.f. = 12
$t_c = \underline{1.729}$	$t_c = \underline{1.440}$	$t_c = \underline{2.179}$
$\sigma = 1.8$	$\sigma = 2.4$	$\sigma = 1.5$
$E = \underline{\hspace{2cm}}$	$E = \underline{\hspace{2cm}}$	$E = \underline{\hspace{2cm}}$
$t_c \cdot \frac{\sigma}{\sqrt{n}}$		
$1.729 \cdot \frac{1.8}{\sqrt{20}}$		
	$E = t_c \cdot \frac{\sigma}{\sqrt{n}}$	



TEST - Thursday

$$\rightarrow z_c = ??$$

$$E = ??$$

Confidence Interval

$$t_c = ??$$

$$E = ??$$


( , )

Given To You:

$$E = z_c \cdot \frac{\sigma}{\sqrt{n}} \quad \Bigg| \quad E = t_c \cdot \frac{\sigma}{\sqrt{n}}$$

$$d.f. = n - 1$$

$$?? \quad (\bar{x} - E, \bar{x} + E) \quad \text{confidence interval}$$



z - table $n \geq 30$		t - table	
$C = 99\%$	$z_c = \pm 2.575$	$C = 99\%$	$t_c =$
$C = 98\%$	$z_c = \pm 2.33$	$C = 98\%$	$t_c =$
$C = 96\%$	$z_c = \pm 2.05$	$C = 96\%$	$t_c =$
$C = 95\%$	$z_c = \pm 1.96$	$C = 95\%$	$t_c =$
$C = 94\%$	$z_c = \pm 1.88$	d.f. (degree of freedom) = $n - 1$	
$C = 90\%$	$z_c = \pm 1.645$		
$C = 85\%$	$z_c = \pm 1.44$	t - table for $n < 30$ $n = 2, 3, 4, 5, \dots, 29$	
$C = 80\%$	$z_c = \pm 1.28$		
$\frac{100\%}{85\%}$	$\frac{15}{2} = 7.5\%$	$C = 95\%$	d.f. = $n - 1$
$15\%$	$.0750$	$n = 23$	$= 23 - 1$
		$t_c = 2.074$	$= 22$
$n = 35$	$C = 95\%$	$z_c = 1.96$	
$n = 40$	$C = 95\%$	$z_c = 1.96$	
$n = 75$	$C = 95\%$	$z_c = 1.96$	


$$n = 18$$
$$C = 96\%$$
$$t_c = \underline{2.224}$$

$$\begin{aligned} \text{d.f.} &= n - 1 \\ &= 18 - 1 \\ &= 17 \end{aligned}$$

$$n = 28$$
$$C = 80\%$$
$$t_c = \underline{1.314}$$

$$\text{d.f.} = 27$$

d.f.



27


80%



$C = 96\%$	$C = 95\%$	$C = 99\%$
$n = 25$ $d.f. = 24$	$n = 7$ $d.f. = 6$	$n = 13$ $d.f. = 12$
$t_c = \underline{2.172}$	$t_c = \underline{2.447}$	$t_c = \underline{3.055}$
$\sigma = 1.8$	$\sigma = 2.71$	$\sigma = 3.91$
$E = \underline{\pm .78}$	$E = \underline{\pm 2.51}$	$E = \underline{\pm 3.31}$
$E = 2.172 \cdot \frac{1.8}{\sqrt{25}}$	$E = 2.447 \cdot \frac{2.71}{\sqrt{7}}$	$E = 3.055 \cdot \frac{3.91}{\sqrt{13}}$

Tables T-11


Table entry for  $p$  and  $C$  is the critical value  $t^*$  with probability  $p$  lying to its right and probability  $C$  lying between  $-t^*$  and  $t^*$ .



**TABLE D**

t distribution critical values

df	Upper-tail probability $p$											
	.25	.20	.15	.10	.05	.025	.02	.01	.005	.0025	.001	.0005
1	1.000	1.376	1.963	3.078	6.314	12.71	15.89	31.82	63.66	127.3	318.3	636.6
2	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.09	22.33	31.60
3	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.21	12.92
4	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
7	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
9	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	0.870	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692	0.868	1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15	0.691	0.866	1.074	1.341	1.753	2.131	2.249	2.602	2.947	3.286	3.733	4.073
16	0.690	0.865	1.071	1.337	1.746	2.120	2.235	2.583	2.921	3.252	3.686	4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.611	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20	0.687	0.860	1.064	1.325	1.725	2.086	2.197	2.528	2.845	3.153	3.552	3.850
21	0.686	0.859	1.063	1.323	1.721	2.080	2.189	2.518	2.831	3.135	3.527	3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25	0.684	0.856	1.058	1.316	1.708	2.060	2.167	2.485	2.787	3.078	3.450	3.725
26	0.684	0.856	1.058	1.315	1.706	2.056	2.162	2.479	2.779	3.067	3.435	3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
$z^*$	0.674	0.841	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.091	3.291
	50%	60%	70%	80%	90%	95%	96%	98%	99%	99.5%	99.8%	99.9%
	Confidence level $C$											



## Homework

$$n = 25$$
$$c = 90\%$$

---

critical value

$$n = 36$$
$$c = 95\%$$

---

critical value

$$n = 15$$
$$c = 80\%$$

---

critical value

$$n = 10$$
$$c = 95\%$$

---

critical value

$$n = 45$$
$$c = 90\%$$

---

critical value

$$n = 60$$
$$c = 94\%$$

---

critical value

$$n = 36$$

$$c = 95\%$$

$$\underline{z_c = \pm 1.96}$$

critical value


$$\leftarrow n \geq 30$$



z-table



$$z_c =$$



$$z = 1.96$$

---

$$n = 25$$

$$C = 90\%$$

$$t_c = 1.711$$

critical value

$$n < 30$$

↓

t-table

↓

$$d.f. = n - 1$$

$$= 25 - 1$$

$$= 24$$

$$C = 90\%$$